Accessories Guide for DLT Series

of Vehicle Mounted Computers

DLT Series of Vehicle Mounted Computers

Accessories Guide V1.09



Content Overview

1. VMT FAMILIES OVERVIEW 5

2. MOUNTING AND BRACKETS 6

2.1. Availability Matrix 6
2.2. RAM-Mount Set Short Arm 130 mm 8
2.3. RAM-Mount Set Long Arm 215 mm 9
2.4. RAM-Mount Set Double Arm 150 mm 10
2.5. RAM-Mount Set Double Arm 150 mm Pipe Fix 11
2.6. Mounting Bracket 15° for DLT-V73, DLT-V72, DLT-V83 12
2.7. Adapter Kit To DL-MTKT009 Mounting Bracket for DLT-V73 13
2.8. Mounting Bracket 15° for DLT-V73 14
2.9. Mounting Bracket 15° for DLT-V6210FL 15
2.10. Mounting Kit Wall Adapter I-50 16
2.11. Mounting Kit Double Plate 17
2.12. Clamping Foot Adapter High 18
2.13. Clamping Foot Adapter Low 19

3. KEYBOARDS AND MOUNTINGS 20

3.1. Availability Matrix 20
3.2. Mounting Kit SMALL/24 Keyboard Bottom for DLT-V8310/12, DLT-V7210/12 21
3.3. Mounting Kit SMALL/24 Keyboard Bottom for DLT-V8315 22
3.4. Mounting Kit BOTTOM for 65-Key Keyboard for DLT-V73 23
3.5. Mounting Kit RIGHT for 21-Key Keyboard for DLT-V73 24
3.6. Mounting Kit LEFT for 21-Key Keyboard for DLT-V73 25
3.7. Keyboard 65-Keys Alphanumeric 26
3.8. Keyboard 21-Keys Numeric 27

4. SCANNER MOUNTINGS 28

4.1. Availability Matrix 28
4.2. Scanner Mounting, LEFT, LS34xx, LS35xx 30
4.3. Scanner Mounting, RIGHT, LS34xx, LS35xx 31
4.4. Scanner Mounting, RIGHT, DS36xx 32
4.5. Scanner Mounting, 12” RIGHT, LI3678 33
4.6. Scanner Mounting, 10"RIGHT, DS36xx 34
4.7. Scanner Mounting, 12" RIGHT, DS36xx 35
4.8. Scanner Mounting, 10” LEFT, LS34xx, LS35xx 36
4.9. Scanner Mounting, 12" LEFT, LS34xx, LS35xx 37
4.10. Scanner Mounting, 10" RIGHT, LS34xx, LS35xx 38
4.11. Scanner Mounting, 12” RIGHT, LS34xx, LS35xx 39

5. TOUCH STYLUS 40

5.1. Availability Matrix 40
5.2. Stylus with Mounting Regular for Resistive Touch 41
5.3. Stylus with Mounting Regular for PCT Touch 42
5.4. Stylus with Mounting Large for Resistive Touch 43
5.5. Stylus with Mounting Large for PCT Touch 44
5.6. Stylus with Mounting Regular Resistive Touch for DLT-V73 45
5.7. Stylus with Mounting Regular PCT Touch for DLT-V73 46

6. REMOTE ANTENNAS 47
6.1. Availability Matrix 48
6.2. WLAN Kit External Antenna 4 dBi for DLT-V83 49
6.3. WLAN Kit External Antenna 4 dBi 50
6.4. WLAN WWAN GPS Kit Antenna Remote EU 51
6.5. WLAN WWAN GPS Kit Antenna Remote EU for DLT-V72 52
6.6. WWAN 4G Antenna for DLT-V6210FL 53
6.7. GPS External Receiver 54
6.8. WWAN GPS Antenna Remote for DLT-V73 55

7. ADDITIONAL FEATURES 56
7.1. Availability Matrix 56
7.2. Digital Smart Motion Sensor- ScreenBlanking 57
7.3. USB-C to USB-A adapter cable 58

8. POWER SUPPLIES & CORDS 59
8.1. Availability Matrix 59
8.2. Power Supply 110/240VAC, 24V Output, 90W 60
8.3. Power Cords for External Adapter 61

9. AC POWER CABLES 62
9.1. Availability Matrix 62
9.2. AC Power Cables (for V8315 AC Type) 63
9.3. AC Power Cables (110/230VAC RA 2.5m ErP) 63

10. DC POWER CABLES 64
10.1. Availability Matrix 64
10.2. DC Power Cables 65
10.3. Quick Connect Cables 66

11. BATTERY / UPS 67
11.1. Availability Matrix 67
11.2. DLT-V72 Battery 68

12. SPARE PARTS 69
12.1. Availability Matrix 69
12.2. Antenna Cap 70
12.3. Cable cover 71

13. USB RECOVERY STICK 72
13.1. Availability Matrix 72
13.2. USB Recovery Stick for DLT-Vxx Legacy 73
13.3. USB Recovery Stick for DLT-Vxx UEFI 74

14. COPYRIGHT & DISCLAIMER 75

1. VMT FAMILIES OVERVIEW



DLT-V73 & -V73A Series



DLT-V83 Series



DLT-V72 Facelift Series



DLT-V6210 Facelift

2. MOUNTING AND BRACKETS

2.1. Availability Matrix

Availability Matrix Mounting and Brackets											
P/N	Description	DLT-V7310	DLT-V7312/P+	DLT-V8310	DLT-V8312	DLT-V8315	DLT-V7210	DLT-V7212	DLT-V7210 K, KD	DLT-V7212/15 P+	DLT-V6210FL
DL-MTRM004	RAM-Mount Set Short Arm 130 mm	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
DL-MTRM003	RAM-Mount Set Long Arm 215 mm	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
DL-MTRM002	RAM-Mount Set Double Arm 150 mm	✓	✓	✓	✓	-	✓	✓	✓	✓	✓
DL-MTRM001	RAM-Mount Set Double Arm 150 mm Pipe Fix	✓	✓	✓	✓	-	✓	✓	✓	✓	✓
DL-MTKT009	Mounting Bracket 15 Degree Fixed for DLT-V72, DLT-V83	(*)	(*)	✓	✓	✓	✓	✓	✓	✓	-
DL-MTKT012	DLT-V73 Adapter Kit to DL-MTKT009 Mounting Bracket	✓	✓	-	-	-	-	-	-	-	-
DL-MTKT013	Mounting Bracket 15° for DLT-V73	✓	✓	-	-	-	-	-	-	-	-
DL-MTKT004	Mounting Bracket 15° for DLT-V6210FL	-	-	-	-	-	-	-	-	-	✓
DL-MTKT007	Mounting Kit Wall Adapter, I-50	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
DL-MTRM013	Mounting Kit Double Plate	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
DL-MTKT005	Clamping Foot Adapter High	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
DL-MTKT006	Clamp Foot Adapter Low	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

Choosing the correct mount

This catalog section shows the mounting solutions for the Advantech SIoT Vehicle Mounted Computers and accessories. It specifies whether the listed mounting solutions are suitable for mobile use, restricted mobile use or stationary use. These uses correspond to the operation classes 5M3, 5M2 and 5M1 for mechanical environmental conditions. The following standards offer a practical means of reference:


- DIN EN 60721-3-5: 1998 classification of environmental conditions, part 3, section 5: Use on and in ground vehicles
- Military standard MIL-STD 810F: 2000

5M3: Mobile use	**5M2: Restricted mobile use**	**5M1: Stationary use**
Examples: Vehicles without shock absorption; forklifts; unbalanced machines; combustion engine of a construction machine	Examples: Vehicles with shock absorption; driver's cab in a tractor; standing machines; machine tools	Examples: Vehicles with very good shock absorption; car dashboard; immobile mounting surfaces; desk or wall
Operational environments with high energy vibrations and high energy shocks as well as rough handling/transport compliant with:	Operational environments with low energy vibrations and high energy shocks as well as careful handling/transport compliant with:	Operational environments with low energy vibrations and medium energy shocks as well as very careful handling/transport compliant with:
Operation class **5M3** according to DIN EN 60721-3-5 or equivalent Category **US Highway Truck** according to MIL-STD 810F	Operation class **5M2** according to DIN EN 60721-3-5 or equivalent Category **US Highway Truck** according to MIL-STD 810F	Operation class **5M1** according to DIN EN 60721-3-5.

2.2. RAM-Mount Set Short Arm 130 mm

P/N: DL-MTRM004	DLT-V7310	DLT-V7312/P+	DLT-V8310	DLT-V8312	DLT-V8315	DLT-V7210	DLT-V7212	DLT-V7210 K, KD	DLT-V7212/15 P+	DLT-V6210FL
Availability	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Operation class	5M3	5M3	5M3	5M3	5M1	5M3	5M3	5M3	5M3	5M3

Example: DLT-V7210




Technical data	
Application	RAM-Mount for raw industrial environment and vehicles
Scope of delivery	4 x Washer ISO 8738 (DIN 1440)-A6-A2 4 x Washer spring A6 DIN128 FSt galvan 4 x Screw Cyl.int.hex DIN912 M6x16 A2 TufLok 2 x RAM-D-2461U Fixing plate RAM-Mount VESA with ball 2.25" 1 x RAM-D-201U-C conn.arm VESA 130mm for ball 2.25"

2.3. RAM-Mount Set Long Arm 215 mm

P/N: DL-MTRM003	DLT-V7310	DLT-V7312/P+	DLT-V8310	DLT-V8312	DLT-V8315	DLT-V7210	DLT-V7212	DLT-V7210 K, KD	DLT-V7212/15 P+	DLT-V6210FL
Availability	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Operation class	5M3	5M3	5M3	5M3	5M1	5M3	5M3	5M3	5M3	5M3

Example: DLT-V7212




Technical data	
Application	RAM-Mount for raw industrial environment and vehicles
Scope of delivery	4 x Washer ISO 8738 (DIN 1440)-A6-A2 4 x Screw Cyl.int.hex DIN912 M6x16 A2 TufLok 4 x Washer spring A6 DIN128 FSt galvan 2 x RAM-D-2461U Fixing plate RAM-Mount VESA with ball 2.25" 1 x RAM-D-201U RAM conn.arm VESA 215mm for ball 2.25”

2.4. RAM-Mount Set Double Arm 150 mm

P/N DL-MTRM002	DLT- V7310	DLT- V7312/P+	DLT- V8310	DLT- V8312	DLT- V8315	DLT- V7210	DLT- V7212	DLT- V7210 K, KD	DLT- V7212/15 P+	DLT- V6210FL
Availability	✓	✓	✓	✓	-	✓	✓	✓	✓	✓
Operation class	5M3	5M3	5M3	5M3	-	5M3	5M3	5M3	5M3	5M3

Example: DLT-V7210




Technical data	
Application	RAM-Mount for raw industrial environment and vehicles
Scope of delivery	4 x Washer ISO 8738 (DIN 1440)-A6-A2 1 x Nut M5 Lock-nut DIN 985 FE/ZN B=8 H=5 1 x Washer A 5.3 DIN 125 FE/ZN FORM A for M5 4 x Washer A6.4 DIN125 FE/ZN FORM A 4 x Washer spring A6 DIN128 FSt galvan 4 x Screw Cyl.int.hex DIN912 M6x10 A2 TufLok 4 x Screw Cyl.int.hex DIN912 M6x12 A2 TufLok 1 x Adapter holder RAM dual (Oval shape) 2 x RAM-201 connecting arm VESA approx. 145mm 4 x RAM-202U 2-1/2" DIA. BASE

2.5. RAM-Mount Set Double Arm 150 mm Pipe Fix

P/N DL-MTRM001	DLT- V7310	DLT- V7312/P+	DLT- V8310	DLT- V8312	DLT- V8315	DLT- V7210	DLT- V7212	DLT- V7210 K, KD	DLT- V7212/15 P+	DLT- V6210FL
Availability	✓	✓	✓	✓	-	✓	✓	✓	✓	✓
Operation class	5M3	5M3	5M3	5M3	-	5M3	5M3	5M3	5M3	5M3

Example: DLT-V7212





Technical data	
Application	RAM-Mount for raw industrial environment and vehicles For assembling the terminal to a tube
Scope of delivery	3 x Washer ISO 8738 (DIN 1440)-A6-A2 6 x Nut M5 Lock-nut DIN 985 FE/ZN B=8 H=5 8 x Nut domed cap M6 DIN1587 galvan B=10 H=9.5 6 x Washer A 5.3 DIN 125 FE/ZN FORM A for M5 2 x Washer A6.4 DIN125 FE/ZN FORM A 8 x Washer A6.4 DIN 9021 large Steel galvan 8 x Washer spring A6 DIN128 FSt galvan 3 x Screw Cyl.int.hex DIN912 M6x10 A2 TufLok 4 x Screw Cyl.int.hex DIN912 M6x12 A2 TufLok 8 x Screw M6x30 DIN933 FE/ZN hex. 1 x Adapter holder RAM dual (Oval shape) 2 x RAM-201 connecting arm VESA approx. 145mm 2 x RAM-202U 2-1/2" DIA. BASE 2 x Pipe fixing with ball 1.5" pipe 1.25"

2.6. Mounting Bracket 15° for DLT-V73, DLT-V72, DLT-V83

P/N: DL-MTKT009	DLT-V7310	DLT-V7312/P+	DLT-V8310	DLT-V8312	DLT-V8315	DLT-V7210	DLT-V7212	DLT-V7210 K, KD	DLT-V7212/15 P+	DLT-V6210FL
Availability	✓ + DL-MTKT012	✓ + DL-MTKT012	✓	✓	✓	✓	✓	✓	✓	-
Operation class	5M2	5M2	5M3	5M3	5M2	5M3	5M3	5M3	5M3	-

Example: DLT-V8310






Technical data:	
Application	Mounting Bracket for raw industrial environment and vehicles
Material	Steel St 37-2 powder coated
Scope of delivery	6 x Washer A6.4 DIN125 FE/ZN FORM A D12 d6.4 t1.6 6 x Screw Cyl.int.hex DIN912 M6x12 A2 TufLok 1 x Mounting bracket mobile 15 grade fixed DLT-V83

2.7. Adapter Kit To DL-MTKT009 Mounting Bracket for DLT-V73

P/N: DL-MTKT012	DLT-V7310	DLT-V7312/P+	DLT-V8310	DLT-V8312	DLT-V8315	DLT-V7210	DLT-V7212	DLT-V7210 K, KD	DLT-V7212/15 P+	DLT-V6210FL
Availability	✓	✓	-	-	-	-	-	-	-	-
Operation class	5M2	5M2	-	-	-	-	-	-	-	-

Example: DLT-V7310




Technical data:	
Application	Mounting Adapter for DLTV72/V83 accessories Compatible with DL-MTKT009 Mounting Bracket 15 Degree Fixed for DLT-V72, DLT-V83 DL-MTKT010 Mounting Kit SMALL/24 Keyboard BOTTOM for DLT-V8310/12, DLT-V7210/12
Material	Steel St 37-2 powder coated
Scope of delivery	8 x Washer A6.4 DIN125 FE/ZN FORM A D12 d6.4 t1.6 4 x Screw Cyl.int.hex DIN912 M6x10 A2 TufLok 4 x Screw Cyl.int.hex DIN912 M6x16 A2 TufLok 1 x Mounting Kit Adapter R V73 Powder Black C SGCC 1 x Mounting Kit Adapter L V73 Powder Black C SGCC 1 x Blank Label 47x25mm for MIC-3001 A1

2.8. Mounting Bracket 15° for DLT-V73

P/N: DL-MTKT013	DLT-V7310	DLT-V7312/P+	DLT-V8310	DLT-V8312	DLT-V8315	DLT-V7210	DLT-V7212	DLT-V7210 K, KD	DLT-V7212/15 P+	DLT-V6210FL
Availability	✓	✓	-	-	-	-	-	-	-	-
Operation class	5M3	5M3	-	-	-	-	-	-	-	-

Example: DLT-V7310P




Technical data:	
Application	Mounting Bracket for raw industrial environment and vehicles
Material	Steel St 37-2 powder coated
Scope of delivery	4 x Washer A6.4 DIN125 FE/ZN FORM A D12 d6.4 t1.6 4 x Screw Cyl.int.hex DIN912 M6x10 A2 TufLok 1 x Mounting Bracket for V73 Powder Black C

2.9. Mounting Bracket 15° for DLT-V6210FL

P/N: DL-MTKT004	DLT-V7310	DLT-V7312/P+	DLT-V8310	DLT-V8312	DLT-V8315	DLT-V7210	DLT-V7212	DLT-V7210 K, KD	DLT-V7212/15 P+	DLT-V6210FL
Availability	-	-	-	-	-	-	-	-	-	✓
Operation class	-	-	-	-	-	-	-	-	-	5M1

Example: DLT-V6210FL




Technical data:	
Application	Mounting Bracket for raw industrial environment and vehicles
Material	Steel St 37-2 powder coated
Scope of delivery	1 x Mounting bracket 15 grade fixed 6 x Washer ISO 8738 (DIN 1440)-A6-A2 6 x Screw Cyl.int.hex DIN912 M6x12 A2 TufLok

2.10. Mounting Kit Wall Adapter I-50

P/N DL-MTKT007	DLT- V7310	DLT- V7312/P+	DLT- V8310	DLT- V8312	DLT- V8315	DLT- V7210	DLT- V7212	DLT- V7210 K, KD	DLT- V7212/15 P+	DLT- V6210FL
Availability	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Operation class	5M1	5M1	5M1	5M1	5M1	5M1	5M1	5M1	5M1	5M1

Example: DLT-V6210FL




Technical data	
Application	For a stationary mounting. For wall thickness from 27mm to 37mm Wall bracket 10 grade inclined
Scope of delivery	4 x Washer spring A6 DIN128 FSt galvan 4 x Nut M8 Lock-nut DIN 985 FE/ZN B=13 H=8 4 x Washer ISO 8738 (DIN 1440)-A8-A2 4 x Screw Cyl.int.hex DIN912 M6x10 A2 TufLok 4 x Screw Cylinder int.hex M8x50 V2A ISO4762 1 x Wall bracket 10 grade for forklift-holder

2.11. Mounting Kit Double Plate

P/N DL-MTRM013	DLT- V7310	DLT- V7312/P+	DLT- V8310	DLT- V8312	DLT- V8315	DLT- V7210	DLT- V7212	DLT- V7210 K, KD	DLT- V7212/15 P+	DLT- V6210FL
Availability	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Operation class	5M3	5M3	5M3	5M3	5M3	5M3	5M3	5M3	5M3	5M3

Example: Double plate with forklift roof grid




Technical data	
Application	Mounting Bracket for raw industrial environment and vehicles
Material	Steel St 37-2 powder coated
Scope of delivery	4 x Nut M10 Lock-nut DIN 985 FE/ZN 4 x Screw Cylinder int.hex M10x70V2A ISO4762 4 x Screw Cylinder int.hex M10x80V2A ISO4762 2 x Mounting plate with drilled hole Vesa coated

2.12. Clamping Foot Adapter High

P/N DL-MTKT005	DLT- V7310	DLT- V7312/P+	DLT- V8310	DLT- V8312	DLT- V8315	DLT- V7210	DLT- V7212	DLT- V7210 K, KD	DLT- V7212/15 P+	DLT- V6210FL
Availability	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Operation class	5M3	5M3	5M3	5M3	5M3	5M3	5M3	5M3	5M3	5M3

Example: DLT-V73




Technical data	
Application	Clamping Foot Adapter for raw industrial environment and vehicles
Material	Steel St 37-2 powder coated
Scope of delivery	4 x Screw Cylinder int.hex M6x10 V2A ISO4762 4 x SPRING Washer A6 DIN128 D=11.8 d=6.1 H=2.2 1 x Foot Clamp Adapter High

2.13. Clamping Foot Adapter Low

P/N DL-MTKT006	DLT- V7310	DLT- V7312/P+	DLT- V8310	DLT- V8312	DLT- V8315	DLT- V7210	DLT- V7212	DLT- V7210 K, KD	DLT- V7212/15 P+	DLT- V6210FL
Availability	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
Operation class	5M3	5M3	5M3	5M3	5M3	5M3	5M3	5M3	5M3	5M3

Example: DLT-V73



Technical data	
Application	Clamping Foot Adapter for raw industrial and vehicles
Material	Steel St 37-2 powder coated
Scope of delivery	4 x Screw Cylinder int.hex M6x10 V2A ISO4762 4 x SPRING Washer A6 DIN128 D=11.8 d=6.1 H=2.2 1 x Foot Clamp Adapter Low

3. KEYBOARDS AND MOUNTINGS


3.1. Availability Matrix

Availability Matrix Keyboard Mountings												
P/N	Description	DLT-V7310	DLT-V7312/P+	DLT-V8310	DLT-V8312	DLT-V8315	DLT-V7210	DLT-V7212	DLT-V7210 K, KD	DLT-V7212P+	DLT-V7215 P+	DLT-V6210FL
DL-MTKT010	Mounting Kit SMALL/24 Keyboard BOTTOM for DLT-V8310/12, DLT-V7210/12	(*)	(*)	✓	✓	-	✓	✓	-	✓	-	-
DL-MTKT003	Mounting Kit SMALL/24 Keyboard BOTTOM for DLT-V8315	-	-	-	-	✓	-	-	-	-	✓	-
DL-MTKT014	Mounting Kit BOTTOM for 65-Key Keyboard for DLT-V73	✓	✓	-	-	-	-	-	-	-	-	-
DL-MTKT015	Mounting Kit RIGHT for 21-Key Keyboard for DLT-V73	✓	✓	-	-	-	-	-	-	-	-	-
DL-MTKT016	Mounting Kit LEFT for 21-Key Keyboard for DLT-V73	✓	✓	-	-	-	-	-	-	-	-	-
DL-KEYB01	Keyboard QWERTZ 65-Keys Alphanumeric	✓	✓	-	-	-	-	-	-	-	-	-
DL-KEYB02	Keyboard QWERTY 65-Keys Alphanumeric	✓	✓	-	-	-	-	-	-	-	-	-
DL-KEYB03	Keyboard 21-Keys Numeric	✓	✓	-	-	-	-	-	-	-	-	-

3.2. Mounting Kit SMALL/24 Keyboard Bottom for DLT-V8310/12, DLT-V7210/12

P/N DL-MTKT010	DLT-V7310	DLT-V7312/P+	DLT-V8310	DLT-V8312	DLT-V8315	DLT-V7210	DLT-V7212	DLT-V7210 K, KD	DLT-V7212P+	DLT-V7215 P+	DLT-V6210FL
Availability	✓ + DL-MTKT012	✓ + DL-MTKT012	✓	✓	-	✓	✓	-	✓	-	-
Operation class	5M2	5M2	5M3	5M3	-	5M3	5M3	-	5M3	-	-

Example: DLT-V7212




Technical data	
Application	For raw industrial environment and vehicles
Material	Steel ST 37-2 powder coated
Scope of delivery	4 x Nut M4 hex. with Cone Washer 4 x Screw Cyl.int.hex DIN912 M6x10 A2 TufLok 2 x Screw Cyl.int.hex DIN912 M6x12 A2 TufLok 2 x Post D=12 d=8.4 L=3 ST ZN 6 x Washer D=12 d=6 t=1.6 ISO 8738 (DIN 1440) A6 A2 1 x Keyboard console small 24 keyboard front BlackC DLT

3.3. Mounting Kit SMALL/24 Keyboard Bottom for DLT-V8315

P/N DL-MTKT003	DLT- V7310	DLT- V7312/P+	DLT- V8310	DLT- V8312	DLT- V8315	DLT- V7210	DLT- V7212	DLT- V7210 K, KD	DLT- V7212P+	DLT- V7215 P+	DLT- V6210FL
Availability	-	-	-	-	✓	-	-	-	-	✓	-
Operation class	-	-	-	-	5M2	-	-	-	-	5M2	-

Example: DLT-V8315




Technical data	
Application	For raw industrial environment and vehicles
Material	Steel ST 37-2 powder coated
Scope of delivery	4 x Nut M4 hex. with Cone Washer 4 x Screw Cyl.int.hex DIN912 M6x10 A2 TufLok 2 x Screw Cyl.int.hex DIN912 M6x12 A2 TufLok 6 x Washer D=12 d=6 t=1.6 ISO 8738 (DIN 1440) A6 A2 2 x Post D=12 d=8.4 L=3 ST ZN 1 x Keyboard console small 24 keyboard front DLT-V83

3.4. Mounting Kit BOTTOM for 65-Key Keyboard for DLT-V73

P/N DL-MTKT014	DLT- V7310	DLT- V7312/P+	DLT- V8310	DLT- V8312	DLT- V8315	DLT- V7210	DLT- V7212	DLT- V7210 K, KD	DLT- V7212/15 P+	DLT- V6210FL
Availability	✓	✓	-	-	-	-	-	-	-	-
Operation class	5M3	5M3	-	-	-	-	-	-	-	-

Example: DLT-V7310



Technical data	
Application	For raw industrial environment and vehicles VESA 50 & 75 Compatible with DL-KEYB01 Keyboard QWERTZ 65-Keys Alphanumeric DL-KEYB02 Keyboard QWERTY 65-Keys Alphanumeric
Material	Steel ST 37-2 powder coated
Scope of delivery	4 x Washer A6.4 DIN125 FE/ZN FORM A D12 d6.4 t1.6 4 x Screw Cyl.int.hex DIN912 M6x10 A2 TufLok 1 x SIK-65 Keyboard Bracket for V73 Powder Black C 4 x Washer D=12 d=4.3 t=1.0 ST NI 4 x Screw M4x8L RH D=7.22 H=4 h SUS NK

3.5. Mounting Kit RIGHT for 21-Key Keyboard for DLT-V73

P/N DL-MTKT015	DLT- V7310	DLT- V7312/P+	DLT- V8310	DLT- V8312	DLT- V8315	DLT- V7210	DLT- V7212	DLT- V7210 K, KD	DLT- V7212/15 P+	DLT- V6210FL
Availability	✓	✓	-	-	-	-	-	-	-	-
Operation class	5M3	5M3	-	-	-	-	-	-	-	-

Example: DLT-V7310



Technical data	
Application	For raw industrial environment and vehicles VESA 50 & 75 Compatible with DL-KEYB03 Keyboard 21-Keys Numeric
Material	Steel ST 37-2 powder coated
Scope of delivery	2 x Washer A6.4 DIN125 FE/ZN FORM A D12 d6.4 t1.6 2 x Screw Cyl.int.hex DIN912 M6x10 A2 TufLok 1 x SIK-21 Keyboard Right Bkt for V73 Powder Black C 4 x Washer D=12 d=4.3 t=1.0 ST NI 4 x Screw M4x8L RH D=7.22 H=4 h SUS NK

3.6. Mounting Kit LEFT for 21-Key Keyboard for DLT-V73

P/N DL-MTKT016	DLT- V7310	DLT- V7312/P+	DLT- V8310	DLT- V8312	DLT- V8315	DLT- V7210	DLT- V7212	DLT- V7210 K, KD	DLT- V7212/15 P+	DLT- V6210FL
Availability	✓	✓	-	-	-	-	-	-	-	-
Operation class	5M3	5M3	-	-	-	-	-	-	-	-

Example: DLTV7310



Technical data	
Application	For raw industrial environment and vehicles VESA 50 & 75 Compatible with DL-KEYB03 Keyboard 21-Keys Numeric
Material	Steel ST 37-2 powder coated
Scope of delivery	2 x Washer A6.4 DIN125 FE/ZN FORM A D12 d6.4 t1.6 2 x Screw Cyl.int.hex DIN912 M6x10 A2 TufLok 1 x SIK-21 Keyboard LEFT Bkt for V73 Powder Black C 4 x Washer D=12 d=4.3 t=1.0 ST NI 4 x Screw M4x8L RH D=7.22 H=4 h SUS NK


3.7. Keyboard 65-Keys Alphanumeric

P/N	Description	DLT-V7310	DLT-V7312/P+	DLT-V8310	DLT-V8312	DLT-V8315	DLT-V7210	DLT-V7212	DLT-V7210 K, KD	DLT-V7212/15 P+	DLT-V6210FL
DL-KEYB01	Keyboard QWERTZ 65-Keys Alphanumeric	✓	✓	-	-	-	-	-	-	-	-
DL-KEYB02	Keyboard QWERTY 65-Keys Alphanumeric	✓	✓	-	-	-	-	-	-	-	-

Example: Keyboard 65 keys alphanumeric



Technical data	
Application	For rough industrial environment and vehicles Compatible with DL-MTKT014 Mounting Kit BOTTOM for 21-Key and 65-Key Keyboard for DLT-V73
Scope of delivery	1 x USB Keyboard 65 keys alphanumeric, black, IP66, VESA 75 4 x Washer D=12 4 x Screw M4x8




3.8. Keyboard 21-Keys Numeric

P/N	Description	DLT-V7310	DLT-V7312/P+	DLT-V8310	DLT-V8312	DLT-V8315	DLT-V7210	DLT-V7212	DLT-V7210 K, KD	DLT-V7212/15 P+	DLT-V6210FL
DL-KEYB03	Keyboard 21-Keys Numeric	✓	✓	-	-	-	-	-	-	-	-

Example: Keyboard 21 keys numeric



Technical data	
Application	For rough industrial environment and vehicles Compatible with DL-MTKT015 Mounting Kit RIGHT for 21-Key Keyboard for DLT-V73 DL-MTKT016 Mounting Kit LEFT for 21-Key Keyboard for DLT-V73
Scope of delivery	1 x USB Keyboard 21 keys numeric, black, IP66, VESA 75 4 x Washer D=12 4 x Screw M4x8



4. SCANNER MOUNTINGS

4.1. Availability Matrix


Availability Matrix Scanner Mountings												
P/N	Description	DLT-V7310	DLT-V7312/P+	DLT-V8310	DLT-V8312	DLT-V8315	DLT-V7210	DLT-V7212	DLT-V7210 K, KD	DLT-V7212 P+	DLT-V7215 P+	DLT-V6210FL
DL-MTSC006	Scanner Mounting, 10” LEFT, LS34xx, LS35xx	-	-	✓	-	-	✓	-	✓	✓	-	-
DL-MTSC007	Scanner Mounting, 10” RIGHT, LS34xx, LS35xx	-	-	✓	-	-	✓	-	✓	✓	-	-
DL-MTSC001	Scanner Mounting, 10” RIGHT, LS34xx, LS35xx	-	-	-	-	-	-	-	-	-	-	✓
DL-MTSC004	Scanner Mounting, 12” LEFT, LS34xx, LS35xx	-	-	-	✓	-	-	✓	-	-	-	-
DL-MTSC005	Scanner Mounting, 12” RIGHT, LS34xx, LS35xx	-	-	-	✓	-	-	✓	-	-	-	-
DL-MTSC003	Scanner Mounting, 15” RIGHT, LS34xx, LS35xx	-	-	-	-	✓	-	-	-	-	✓	-
DL-MTSC002	Scanner Mounting, 10” RIGHT, DS36xx	-	-	✓	-	-	✓	-	✓	✓	-	-
DL-MTSC008	Scanner Mounting, 12” RIGHT, DS36xx	-	-	-	✓	-	-	✓	-	-	-	-
DL-MTSC009	Scanner Mounting, 15” RIGHT, DS36xx	-	-	-	-	✓	-	-	-	-	✓	-
DL-MTSC010	Scanner Mounting, 12" RIGHT, LI3678	-	-	-	✓	-	-	✓	-	-	-	-

Availability Matrix Scanner Mountings												
P/N	Description	DLT-V7310	DLT-V7312/P+	DLT-V8310	DLT-V8312	DLT-V8315	DLT-V7210	DLT-V7212	DLT-V7210 K, KD	DLT-V7212 P+	DLT-V7215 P+	DLT-V6210FL
DL-MTSC011	Scanner Mounting,10" RIGHT, DS36xx	✓	-	-	-	-	-	-	-	-	-	-
DL-MTSC017	Scanner Mounting,12" RIGHT, DS36xx	-	✓	-	-	-	-	-	-	-	-	
DL-MTSC015	Scanner Mounting,10" LEFT, LS34xx, LS35xx	✓	-	-	-	-	-	-	-	-	-	-
DL-MTSC013	Scanner Mounting,12" LEFT, LS34xx, LS35xx	-	✓	-	-	-	-	-	-	-	-	-
DL-MTSC016	Scanner Mounting,10" RIGHT, LS34xx, LS35xx	✓	-	-	-	-	-	-	-	-	-	-
DL-MTSC014	Scanner Mounting,12" RIGHT, LS34xx, LS35xx	-	✓	-	-	-	-	-	-	-	-	-

4.2. Scanner Mounting, LEFT, LS34xx, LS35xx

P/N	DLT-V7310	DLT-V7312/P+	DLT-V8310	DLT-V8312	DLT-V8315	DLT-V7210	DLT-V7212	DLT-V7210 K, KD	DLT-V7212 P+	DLT-V7215 P+	DLT-V6210FL
Availability (DL-MTSC006)	-	-	✓	-	-	✓	-	✓	✓	-	-
Operation class	-	-	5M3	-	-	5M3	-	5M3	5M3	-	-
Availability (DL-MTSC004)	-	-	-	✓	-	-	✓	-	-	-	-
Operation class	-	-	-	5M3	-	-	5M3	-	-	-	-

Example: DLT-V8310




Technical data	
Application	For rough industrial environment and vehicles.
Material	Steel St 37-2 powder coated
Scope of delivery	3 x Washer ISO 8738 (DIN 1440)-A6-A2 4 x Nut M4 hex. with Cone Washer B=7 D=10.41 H=4 3 x Screw Cyl.int.hex DIN912 M6x10 A2 TufLok 1 x Spring clip 1 complete hand-held scanner coated 1 x Holder for scanner left DLT-V83 2 x PO VCP CAP (Dust cover) D3.2X13 PVC IP1X 1 x Connection plate 4 spring clip handheld scanner 1 x Spring clip 1 hand-held scanner coated

4.3. Scanner Mounting, RIGHT, LS34xx, LS35xx

P/N	DLT-V7310	DLT-V7312/P+	DLT-V8310	DLT-V8312	DLT-V8315	DLT-V7210	DLT-V7212	DLT-V7210 K, KD	DLT-V7212 P+	DLT-V7215 P+	DLT-V6210FL
Availability (DL-MTSC007)	-	-	✓	-	-	✓	-	✓	✓	-	-
Operation class	-	-	5M3	-	-	5M3	-	5M3	5M3	-	-
Availability (DL-MTSC001)	-	-	-	-	-	-	-	-	-	-	✓
Operation class	-	-	-	-	-	-	-	-	-	-	5M3
Availability (DL-MTSC005)	-	-	-	✓	-	-	✓	-	-	-	-
Operation class	-	-	-	5M3	-	-	5M3	-	-	-	-
Availability (DL-MTSC003)	-	-	-	-	✓	-	-	-	-	✓	-
Operation class	-	-	-	-	5M3	-	-	-	-	5M3	-

Example: Scanner Mounting



Technical data	
Application	For rough industrial environment and vehicles.
Material	Steel St 37-2 powder coated
Scope of delivery	3 x Washer ISO 8738 (DIN 1440)-A6-A2 4 x Nut M4 hex. with Cone Washer B=7 D=10.41 H=4 3 x Screw Cyl.int.hex DIN912 M6x10 A2 TufLok 1 x Holder for scanner right 1 x Spring clip 1 complete hand-held scanner coated 2 x PO VCP CAP (Dust cover) D3.2X13 PVC IP1X 1 x Connection plate 4 spring clip handheld scanner 1 x Spring clip 1 hand-held scanner coated

4.4. Scanner Mounting, RIGHT, DS36xx

P/N	DLT-V7310	DLT-V7312/P+	DLT-V8310	DLT-V8312	DLT-V8315	DLT-V7210	DLT-V7212	DLT-V7210 K, KD	DLT-V7212 P+	DLT-V7215 P+	DLT-V6210FL
Availability (DL-MTSC002)	-	-	✓	-	-	✓	-	✓	✓	-	-
Operation class	-	-	5M3	-	-	5M3	-	5M3	5M3	-	-
Availability (DL-MTSC008)	-	-	-	✓	-	-	✓	-	-	-	-
Operation class	-	-	-	5M3	-	-	5M3	-	-	-	-
Availability (DL-MTSC009)	-	-	-	-	✓	-	-	-	-	✓	-
Operation class	-	-	-	-	5M3	-	-	-	-	5M3	-

Example: Scanner Mounting




Technical data	
Application	For rough industrial environment and vehicles.
Material	Steel St 37-2 powder coated
Scope of delivery	3 x Washer D=12 d=6 t=1.6 ISO 8738 (DIN 1440) A6 A2 4 x Nut M4 hex. with Cone Washer B=7 D=10.41 H=4 3 x Screw Cyl.int.hex DIN912 M6x10 A2 TufLok 1 x Spring clip 1 complete hand-held scanner coated 1 x Holder for scanner right DLT-V83 2 x PO VCP CAP (Dust cover) D3.2X13 PVC IP1X 1 x Connection plate 4 spring clip handheld scanner 1 x Spring clip 1 hand-held scanner coated

4.5. Scanner Mounting, 12” RIGHT, LI3678

P/N (DL-MTSC010)	DLT-V7310	DLT-V7312/P+	DLT-V8310	DLT-V8312	DLT-V8315	DLT-V7210	DLT-V7212	DLT-V7210 K, KD	DLT-V7212 P+	DLT-V7215 P+	DLT-V6210FL
Availability	-	-	-	✓	-	-	✓	-	-	-	-
Operation class	-	-	-	5M3	-	-	5M3	-	-	-	-

Example: Scanner Mounting





Technical data	
Application	For rough industrial environment and vehicles.
Material	Steel St 37-2 powder coated
Scope of delivery	3 x Washer ISO 8738 (DIN 1440)-A6-A2 4 x Nut M4 hex. with Cone Washer B=7 D=10.41 H=4 3 x Screw Cyl.int.hex DIN912 M6x10 A2 TufLok 1 x Holder for scanner right 1 x Spring clip 1 complete hand-held scanner coated 2 x PO VCP CAP (Dust cover) D3.2X13 PVC IP1X 1 x Connection plate 4 spring clip handheld scanner 1 x Spring clip 1 hand-held scanner coated

4.6. Scanner Mounting, 10"RIGHT, DS36xx

P/N DL-MTSC011	DLT- V7310	DLT- V7312/P+	DLT- V8310	DLT- V8312	DLT- V8315	DLT- V7210	DLT- V7212	DLT- V7210 K, KD	DLT- V7212 P+	DLT- V7215 P+	DLT- V6210FL
Availability	✓	-	-	-	-	-	-	-	-	-	-
Operation class	5M3	-	-	-	-	-	-	-	-	-	-

Example: Scanner Mounting






Technical data	
Application	For rough industrial environment and vehicles.
Material	Steel St 37-2 powder coated
Scope of delivery	4 x Washer D=12 d=6 t=1.6 ISO 8738 (DIN 1440) A6 A2 4 x Nut M4 hex. with Cone Washer B=7 D=10.41 H=4 4 x Screw Cyl.int.hex DIN912 M6x10 A2 TufLok 1 x Holder for scanner right DLT-V83+UTC 1 x Spring clip 1 hand-held scanner coated 1 x Spring clip 1 complete hand-held scanner coated 1 x connecton plate handheld scanner DLT-V83 1 x MTSC Adapter Plate for V73 Powder Black 2 x PO VCP CAP (Dust cover) D3.2X13 PVC IP1X

4.7. Scanner Mounting, 12" RIGHT, DS36xx

P/N DL-MTSC017	DLT- V7310	DLT- V7312/P+	DLT- V8310	DLT- V8312	DLT- V8315	DLT- V7210	DLT- V7212	DLT- V7210 K, KD	DLT- V7212 P+	DLT- V7215 P+	DLT- V6210FL
Availability	-	✓	-	-	-	-	-	-	-	-	
Operation class	-	5M3	-	-	-	-	-	-	-	-	-

Example: Scanner Mounting






Technical data	
Application	For rough industrial environment and vehicles.
Material	Steel St 37-2 powder coated
Scope of delivery	4 x Washer D=12 d=6 t=1.6 ISO 8738 (DIN 1440) A6 A2 4 x Nut M4 hex. with Cone Washer B=7 D=10.41 H=4 4 x Screw Cyl.int.hex DIN912 M6x10 A2 TufLok 1 x Spring clip 1 hand-held scanner coated 1 x Spring clip 1 complete hand-held scanner coated 1 x connecton plate handheld scanner DLT-V83 1 x MTSC Adapter Plate for V73 Powder Black 2 x PO VCP CAP (Dust cover) D3.2X13 PVC IP1X


4.8. Scanner Mounting, 10” LEFT, LS34xx, LS35xx

P/N DL-MTSC015	DLT- V7310	DLT- V7312/P+	DLT- V8310	DLT- V8312	DLT- V8315	DLT- V7210	DLT- V7212	DLT- V7210 K, KD	DLT- V7212 P+	DLT- V7215 P+	DLT- V6210FL
Availability	✓	-	-	-	-	-	-	-	-	-	-
Operation class	5M3	-	-	-	-	-	-	-	-	-	-

Example: Scanner Mounting









Technical data	
Application	For rough industrial environment and vehicles.
Material	Steel St 37-2 powder coated
Scope of delivery	4 x Washer D=12 d=6 t=1.6 ISO 8738 (DIN 1440) A6 A2 4 x Nut M4 hex. with Cone Washer B=7 D=10.41 H=4 4 x Screw Cyl.int.hex DIN912 M6x10 A2 TufLok 1 x Spring clip 1 hand-held scanner coated 1 x Spring clip 1 complete hand-held scanner coated 1 x Connection plate 4 spring clip handheld scanner 1 x Holder for scanner left DLT-V83 1 x MTSC Adapter Plate for V73 Powder Black 2 x PO VCP CAP (Dust cover) D3.2X13 PVC IP1X


4.9. Scanner Mounting, 12" LEFT, LS34xx, LS35xx

P/N DL-MTSC013	DLT- V7310	DLT- V7312/P+	DLT- V8310	DLT- V8312	DLT- V8315	DLT- V7210	DLT- V7212	DLT- V7210 K, KD	DLT- V7212 P+	DLT- V7215 P+	DLT- V6210FL
Availability	-	✓	-	-	-	-	-	-	-	-	-
Operation class	-	5M3	-	-	-	-	-	-	-	-	-

Example: Scanner Mounting








Technical data	
Application	For rough industrial environment and vehicles.
Material	Steel St 37-2 powder coated
Scope of delivery	4 x Washer D=12 d=6 t=1.6 ISO 8738 (DIN 1440) A6 A2 4 x Nut M4 hex. with Cone Washer B=7 D=10.41 H=4 4 x Screw Cyl.int.hex DIN912 M6x10 A2 TufLok 1 x Spring clip 1 hand-held scanner coated 1 x Spring clip 1 complete hand-held scanner coated 1 x Connection plate 4 spring clip handheld scanner 1 x Holder for scanner left DLT-V83 1 x MTSC Adapter Plate for V73 Powder Black 2 x PO VCP CAP (Dust cover) D3.2X13 PVC IP1X


4.10. Scanner Mounting, 10" RIGHT, LS34xx, LS35xx

P/N DL-MTSC016	DLT- V7310	DLT- V7312/P+	DLT- V8310	DLT- V8312	DLT- V8315	DLT- V7210	DLT- V7212	DLT- V7210 K, KD	DLT- V7212 P+	DLT- V7215 P+	DLT- V6210FL
Availability	✓	-	-	-	-	-	-	-	-	-	-
Operation class	5M3	-	-	-	-	-	-	-	-	-	-

Example: Scanner Mounting








Technical data	
Application	For rough industrial environment and vehicles.
Material	Steel St 37-2 powder coated
Scope of delivery	4 x Washer D=12 d=6 t=1.6 ISO 8738 (DIN 1440) A6 A2 4 x Nut M4 hex. with Cone Washer B=7 D=10.41 H=4 4 x Screw Cyl.int.hex DIN912 M6x10 A2 TufLok 1 x Holder for scanner right DLT-V83+UTC 1 x Spring clip 1 hand-held scanner coated 1 x Spring clip 1 complete hand-held scanner coated 1 x Connection plate 4 spring clip handheld scanner 1 x MTSC Adapter Plate for V73 Powder Black 2 x PO VCP CAP (Dust cover) D3.2X13 PVC IP1X


4.11. Scanner Mounting, 12” RIGHT, LS34xx, LS35xx

P/N DL-MTSC014	DLT- V7310	DLT- V7312/P+	DLT- V8310	DLT- V8312	DLT- V8315	DLT- V7210	DLT- V7212	DLT- V7210 K, KD	DLT- V7212 P+	DLT- V7215 P+	DLT- V6210FL
Availability	-	✓	-	-	-	-	-	-	-	-	-
Operation class	-	5M3	-	-	-	-	-	-	-	-	-

Example: Scanner Mounting







Technical data	
Application	For rough industrial environment and vehicles.
Material	Steel St 37-2 powder coated
Scope of delivery	4 x Washer D=12 d=6 t=1.6 ISO 8738 (DIN 1440) A6 A2 4 x Nut M4 hex. with Cone Washer B=7 D=10.41 H=4 4 x Screw Cyl.int.hex DIN912 M6x10 A2 TufLok 1 x Spring clip 1 hand-held scanner coated 1 x Spring clip 1 complete hand-held scanner coated 1 x Connection plate 4 spring clip handheld scanner 1 x MTSC Adapter Plate for V73 Powder Black 2 x PO VCP CAP (Dust cover) D3.2X13 PVC IP1X

5. TOUCH STYLUS

5.1. Availability Matrix

Availability Matrix Touch Stylus												
P/N	Description	DLT-V7310	DLT-V7312/P+	DLT-V8310	DLT-V8312	DLT-V8315	DLT-V7210	DLT-V7212	DLT-V7210 K, KD	DLT-V7212 P+	DLT-V7215 P+	DLT-V6210FL
DL-STYL006	Stylus with Mounting Regular for Resistive Touch	-	-	✓	✓	-	✓	-	-	-	-	-
DL-STYL010	Stylus with Mounting Regular for PCT Touch	-	-	✓	✓	-	✓	-	✓	✓	-	✓
DL-STYL008	Stylus with Mounting Large for Resistive Touch	-	-	-	-	✓	-	✓	-	-	-	-
DL-STYL009	Stylus with Mounting Large for PCT Touch	-	-	-	-	✓	-	✓	-	-	✓	-
DL-STYL011	Stylus with Mounting Regular Resistive Touch for DLT-V73	✓	✓	-	-	-	-	-	-	-	-	-
DL-STYL012	Stylus with Mounting Regular PCT Touch for DLT-V73	✓	✓	-	-	-	-	-	-	-	-	-

5.2. Stylus with Mounting Regular for Resistive Touch

P/N DL-STYL006	DLT- V7310	DLT- V7312/P+	DLT- V8310	DLT- V8312	DLT- V8315	DLT- V7210	DLT- V7212	DLT- V7210 K, KD	DLT- V7212 P+	DLT- V7215 P+	DLT- V6210FL
Availability	-	-	✓	✓	-	✓	-	-	-	-	-
Operation class	-	-	5M3	5M3	-	5M3	-	-	-	-	-

Example- Stylus



Technical data	
Application	For rough industrial environment and vehicles
Scope of delivery	2 x Washer D=12 d=6 t=1.6 ISO 8738 (DIN 1440) A6 A2 1 x Screw Cyl.int.hex DIN912 M5x8 A2 2 x Screw Cyl.int.hex DIN912 M6x10 A2 TufLok 1 x Regular mounting panel for stylus DLT-V83 1 x Plastic rope 55cm for pen fixation 1 x Nylon retainer for stylus - multi use FLEXICON 1 x Stylus resistive touch with spring - AST

5.3. Stylus with Mounting Regular for PCT Touch

P/N DL-STYL010	DLT- V7310	DLT- V7312/P+	DLT- V8310	DLT- V8312	DLT- V8315	DLT- V7210	DLT- V7212	DLT- V7210 K, KD	DLT- V7212 P+	DLT- V7215 P+	DLT- V6210FL
Availability	-	-	✓	✓	-	✓	-	✓	✓	-	✓
Operation class	-	-	5M3	5M3	-	5M3	-	5M3	5M3	-	5M3

Example- Stylus



Technical data	
Application	For rough industrial environment and vehicles
Scope of delivery	2 x Washer D=12 d=6 t=1.6 ISO 8738 (DIN 1440) A6 A2 1 x Screw Cyl.int.hex DIN912 M5x8 A2 2 x Screw Cyl.int.hex DIN912 M6x10 A2 TufLok 1 x Key Ring d 10mm 1 x Regular mounting panel for stylus DLT-V83 1 x Plastic rope 55cm for pen fixation 1 x Nylon retainer for stylus - multi use FLEXICON 1 x Stylus for PCT touch - ADLoG brand

5.4. Stylus with Mounting Large for Resistive Touch

P/N DL-STYL008	DLT- V7310	DLT- V7312/P+	DLT- V8310	DLT- V8312	DLT- V8315	DLT- V7210	DLT- V7212	DLT- V7210 K, KD	DLT- V7212 P+	DLT- V7215 P+	DLT- V6210FL
Availability	-	-	-	-	✓	-	✓	-	-	-	-
Operation class	-	-	-	-	5M3	-	5M3	-	-	-	-

Example- Stylus



Technical data	
Application	For rough industrial environment and vehicles
Scope of delivery	2 x Washer D=12 d=6 t=1.6 ISO 8738 (DIN 1440) A6 A2 1 x Screw Cyl.int.hex DIN912 M5x8 A2 2 x Screw Cyl.int.hex DIN912 M6x10 A2 TufLok 1 x large mounting panel for stylus 1 x Plastic rope 55cm for pen fixation 1 x Nylon retainer for stylus - multi use FLEXICON 1 x Stylus resistive touch with spring - AST

5.5. Stylus with Mounting Large for PCT Touch

P/N DL-STYL009	DLT- V7310	DLT- V7312/P+	DLT- V8310	DLT- V8312	DLT- V8315	DLT- V7210	DLT- V7212	DLT- V7210 K, KD	DLT- V7212 P+	DLT- V7215 P+	DLT- V6210FL
Availability	-	-	-	-	✓	-	✓	-	-	✓	-
Operation class	-	-	-	-	5M3	-	5M3	-	-	5M3	-

Example- Stylus



Technical data	
Application	For rough industrial environment and vehicles
Scope of delivery	2 x Washer ISO 8738 (DIN 1440)-A6-A2 1 x Screw Cyl.int.hex DIN912 M5x8 A2 2 x Screw Cyl.int.hex DIN912 M6x10 A2 TufLok 1 x Key Ring d 10mm 1 x Large mounting panel for stylus 1 x Plastic rope 55cm for pen fixation 1 x Nylon retainer for stylus - multi use FLEXICON 1 x Stylus for PCT touch - ADLoG brand

5.6. Stylus with Mounting Regular Resistive Touch for DLT-V73

P/N DL-STYL011	DLT- V7310	DLT- V7312	DLT- V8310	DLT- V8312	DLT- V8315	DLT- V7210	DLT- V7212	DLT- V7210 K, KD	DLT- V7212 P+	DLT- V7215 P+	DLT- V6210FL
Availability	✓	✓	-	-	-	-	-	-	-	-	-
Operation class	5M3	5M3	-	-	-	-	-	-	-	-	-

Example- Stylus




Technical data	
Application	For rough industrial environment and vehicles
Scope of delivery	2 x Washer ISO 8738 (DIN 1440)-A6-A2 1 x Screw Cyl.int.hex DIN912 M5x8 A2 2 x Screw Cyl.int.hex DIN912 M6x10 A2 TufLok 1 x Plastic rope 55cm for pen fixation 1 x Nylon retainer for stylus - multi use FLEXICON 1 x Stylus resistive touch with spring – AST 1 x Regular mounting panel for stylus for V83 Powder

5.7. Stylus with Mounting Regular PCT Touch for DLT-V73

P/N DL-STYL012	DLT-V7310	DLT-V7312/P+	DLT-V8310	DLT-V8312	DLT-V8315	DLT-V7210	DLT-V7212	DLT-V7210 K, KD	DLT-V7212 P+	DLT-V7215 P+	DLT-V6210FL
Availability	✓	✓	-	-	-	-	-	-	-	-	-
Operation class	5M3	5M3	-	-	-	-	-	-	-	-	-

Example: Stylus



Technical data	
Application	For rough industrial environment and vehicles
Scope of delivery	2 x Washer ISO 8738 (DIN 1440)-A6-A2 1 x Screw Cyl.int.hex DIN912 M5x8 A2 2 x Screw Cyl.int.hex DIN912 M6x10 A2 TufLok 1 x Plastic rope 55cm for pen fixation 1 x Nylon retainer for stylus - multi use FLEXICON 1 x Stylus for PCT touch - ADLoG brand 1 x Regular mounting panel for stylus for V83 Powder 1 x Key Ring d 10mm

6. REMOTE ANTENNAS

The antenna is a critical technical component for ensuring a stable radio link. Especially in challenging industrial environments such as warehouses and production facilities, there are no easy solutions with regard to wave propagation. No off-the-rack solution will work here and this is why Advantech offers custom solutions.

Solid driver cabs can significantly interfere with the radio link. For this application, we recommend so-called **remote antennas**, which are not attached directly to the vehicle terminal but rather on the vehicle roof, for example. They have better reception at this location.

To facilitate these types of configurations, Advantech Service IoT offers remote antennas from selected manufacturers.
When selecting the remote antennas, we take a range of factors into account to ensure that they are optimally matched to our terminals and to the respective customer application. This includes technical data such as radiation characteristics and efficiency.

6.1. Availability Matrix

Availability Matrix Remote Antennas											
P/N	Description	DLT-V7310	DLT-V7312/P+	DLT-V8310	DLT-V8312	DLT-V8315	DLT-V7210	DLT-V7212	DLT-V7210 K, KD	DLT-V7212/15 P+	DLT-V6210FL
9768ANTN011	WLAN Kit External Antenna 4 dBi for DLT-V83	-	-	✓	✓	✓	-	-	-	-	-
9768ANTN001	WLAN Kit External Antenna 4 dBi	✓	✓	-	-	-	✓	✓	✓	✓	✓
9768ANTN009	Mounting Kit WLAN WWAN GPS Antenna Remote EU	-	-	✓	✓	✓	-	-	-	-	✓
9768ANTN010	Mounting Kit WLAN WWAN GPS Antenna Remote EU for DLT-V72	-	-	-	-	-	✓	✓	✓	✓	-
1750008940-01	WWAN Kit External Antenna for DLT-V6210FL	-	-	-	-	-	-	-	-	-	✓
968AD00353	External GPS Receiver	-	-	✓	✓	✓	✓	✓	✓	✓	✓
9768ANTN015	WWAN GPS Antenna Remote	✓	✓	-	-	-	-	-	-	-	-

All Antennas and Moduls can be retrofitted to compatible devices

6.2. WLAN Kit External Antenna 4 dBi for DLT-V83

P/N	Description	DLT-V7310	DLT-V7312/P+	DLT-V8310	DLT-V8312	DLT-V8315	DLT-V7210	DLT-V7212	DLT-V7210 K, KD	DLT-V7212/15 P+	DLT-V6210FL
9768ANTN011	WLAN Kit Antenna 4dBi Remote for DLT-V83	-	-	✓	✓	✓	-	-	-	-	-

Example- Antenna 4 dBi



Technical data	
Application	External WLAN Antenna Can be retrofitted to compatible devices
Scope of delivery	1 x Sencity Ant.2.4+5G WIFI 4dBi Omni antenna with fixing plate 1 x Ext. Ant. N-male to SMA reverse pol.-male cable 3m 1 x Housing cover blind cap (DLT-V83 housing antenna hole cover) 1 x Cable Ant. SMA/F-R-BH MHF4/113 BLK 200mm (DLT-V83 internal pigtail)

6.3. WLAN Kit External Antenna 4 dBi

P/N	Description	DLT-V7310	DLT-V7312/P+	DLT-V8310	DLT-V8312	DLT-V8315	DLT-V7210	DLT-V7212	DLT-V7210 K, KD	DLT-V7212/15 P+	DLT-V6210FL
9768ANTN001	WLAN Kit External Antenna 4 dBi	✓	✓	-	-	-	✓	✓	✓	✓	✓

Example- Antenna 4 dBi



Technical data	
Application	External WLAN Antenna Can be retrofitted to compatible devices
Scope of delivery	1 x Sencity Ant.2.4+5G WIFI 4dBi Omni antenna with fixing plate 1 x Ext. Ant. N-male to SMA reverse pol.-male cable 3m

6.4. WLAN WWAN GPS Kit Antenna Remote EU

P/N	Description	DLT-V7310	DLT-V7312/P+	DLT-V8310	DLT-V8312	DLT-V8315	DLT-V7210	DLT-V7212	DLT-V7210 K, KD	DLT-V7212/15 P+	DLT-V6210FL
9768ANTN009	Mounting Kit WLAN WWAN GPS Antenna Remote EU	-	-	✓	✓	✓	-	-	-	-	✓

Example- WLAN WWAN GPS Antenna



Technical data	
Application	External WLAN Antenna External WWAN Antenna External GPS USB Receiver Can be retrofitted to compatible devices
Scope of delivery	WLAN set 1 x Sencity Ant.2.4+5G WIFI 4dBi Omni antenna with fixing plate 1 x Ext. Ant. N-male to SMA reverse pol.-male cable 3m 1 x Housing cover blind cap (DLT-V83 housing antenna hole cover) 1 x Cable Ant. SMA/F-R-BH MHF4/113 BLK 200mm (DLT-V83 internal pigtail) WWAN 1 x Ext antenna cable 3m 1 x Monopole/C 2G/3G/4G 2.2dBi SMA/M CFD-200 Black antenna 1 x Cable Ant. SMA/F-BH MHF1/137 WHT L175mm (DLT-V internal pigtail) GPS 1 x External GPS receiver with 1.5m USB connector 1 x Installation CD

6.5. WLAN WWAN GPS Kit Antenna Remote EU for DLT-V72

P/N	Description	DLT-V7310	DLT-V7312/P+	DLT-V8310	DLT-V8312	DLT-V8315	DLT-V7210	DLT-V7212	DLT-V7210 K, KD	DLT-V7212/15 P+	DLT-V6210FL
9768ANTN010	Mounting Kit WLAN WWAN GPS Antenna Remote	-	-	-	-	-	✓	✓	✓	✓	-

Example- WWAN GPS Antenna



Technical data	
Application	External WLAN Antenna External WWAN Antenna External GPS USB Receiver Can be retrofitted to compatible devices
Scope of delivery	WLAN set 1 x Sencity Ant.2.4+5G WIFI 4dBi Omni antenna with fixing plate 1 x Ext. Ant. N-male to SMA reverse pol.-male cable 3m WWAN 1 x Ext antenna cable 3m 1 x Monopole/C 2G/3G/4G 2.2dBi SMA/M CFD-200 Black antenna 1 x Cable Ant. SMA/F-BH MHF1/137 WHT L175mm (DLT-V internal pigtail) GPS 1 x External GPS receiver with 1.5m USB connector 1 x Installation CD

6.6. WWAN 4G Antenna for DLT-V6210FL

P/N	Description	DLT-V7310	DLT-V7312/P+	DLT-V8310	DLT-V8312	DLT-V8315	DLT-V7210	DLT-V7212	DLT-V7210 K, KD	DLT-V7212/15 P+	DLT-V6210FL
1750008940-01	WWAN 4G Antenna	-	-	-	-	-	-	-	-	-	✓

Example- WWAN 4G antenna



Technical data	
Application	External WWAN Antenna Can be retrofitted to compatible devices
Scope of delivery	1 x Ext antenna cable 3m 1 x Monopole/C 2G/3G/4G 2.2dBi SMA/M CFD-200 Black antenna

6.7. GPS External Receiver

P/N	Description	DLT-V7310	DLT-V7312/P+	DLT-V8310	DLT-V8312	DLT-V8315	DLT-V7210	DLT-V7212	DLT-V7210 K, KD	DLT-V7212/15 P+	DLT-V6210FL
968AD00353	External GPS receiver	-	-	✓	✓	✓	✓	✓	✓	✓	✓

Example- External GPS receiver



Technical data	
Application	External GPS USB Receiver Can be retrofitted to compatible devices
Scope of delivery	1 x External GPS receiver with 1.5m USB connector 1 x Installation CD

6.8. WWAN GPS Antenna Remote for DLT-V73

P/N	Description	DLT-V7310	DLT-V7312/P+	DLT-V8310	DLT-V8312	DLT-V8315	DLT-V7210	DLT-V7212	DLT-V7210 K, KD	DLT-V7212/15 P+	DLT-V6210FL
9768ANTN015	WWAN GPS Antenna Remote	✓	✓	-	-	-	-	-	-	-	-

Example: WWAN GPS Antenna



Technical data	
Application	External WWAN Antenna External GPS USB Receiver Can be retrofitted to compatible devices
Scope of delivery	1 x Antenna GPS Active 5v 38x40 GA31B with 5m SMA 1 x Monopole/C 2G/3G/4G 2.2dBi SMA/M CFD-200 BLK with 3m SMA

7. ADDITIONAL FEATURES

7.1. Availability Matrix

Availability Matrix Additional Features											
P/N	Description	DLT-V7310	DLT-V7312/P+	DLT-V8310	DLT-V8312	DLT-V8315	DLT-V7210	DLT-V7212	DLT-V7210 K, KD	DLT-V7212/15 P+	DLT-V6210FL
DLT-SA6100-0000	Digital Smart Motion Sensor - ScreenBlanking	- (*)	- (*)	✓	✓	✓	✓	✓	✓	✓	✓
9768MDKT035	USB3.1 TYPE-C TO USB3.0 A Female OTG 15CM CABLE	✓	✓	-	-	-	-	-	-	-	-

* DLT-V73 series comes with ScreenBlanking function by default.

7.2. Digital Smart Motion Sensor- ScreenBlanking

P/N	Description	DLT-V7310	DLT-V7312/P+	DLT-V8310	DLT-V8312	DLT-V8315	DLT-V7210	DLT-V7212	DLT-V7210 K, KD	DLT-V7212/15 P+	DLT-V6210FL
DLT-SA6100-0000	Digital Smart Motion Sensor - ScreenBlanking	- (*)	- (*)	✓	✓	✓	✓	✓	✓	✓	✓

* DLT-V73 series comes with ScreenBlanking function by default.

Digital Smart Motion Sensor



Technical data	
Application	Digital Smart Motion Sensor for ScreenBlanking Additonal free of charge software from Advantech is necessary for screenblanking functionality https://cutt.ly/DLT-SA6100
Scope of delivery	1 x USB sensor stick

Notes:

- DSMS cannot be combined with DLT-V73!
- DSMS cannot be used with V72 in combination with the DLT-V72 extension module (LTE prep,sensors,RF switch)


7.3. USB-C to USB-A adapter cable

P/N	Description	DLT-V7310	DLT-V7312/P+	DLT-V8310	DLT-V8312	DLT-V8315	DLT-V7210	DLT-V7212	DLT-V7210 K, KD	DLT-V7212/15 P+	DLT-V6210FL
9768MDKT035	USB3.1 TYPE-C TO USB3.0 A Female OTG 15CM CABLE	✓	✓	-	-	-	-	-	-	-	-

Example: USB-C to USB-A adapter cable



Technical data	
Application	USB-C to USB-A adapter cable
Scope of delivery	1 x USB-C 3.1 male to USB-A 3.0 female cable, 15cm



8. POWER SUPPLIES & CORDS


8.1. Availability Matrix

Availability Matrix Power Supplies & Cords												
P/N	Description	DLT-V7310	DLT-V7312/P+	DLT-V8310	DLT-V8312	DLT-V8315 (DC)	DLT-V8315 (AC)	DLT-V7210	DLT-V7212	DLT-V7210 K, KD	DLT-V7212/15 P+	DLT-V6210FL
98R8CHAR000	Power Supply 110/240VAC, 24V Output, 90W	✓	✓	✓	✓	✓	-	✓	✓	✓	✓	✓
1702002600	(US) Power Cord UL 3P 10A 125V 183cm	✓	✓	✓	✓	✓	-	✓	✓	✓	✓	✓
1700018705	Power Cord ENEC 3P 10A 250V 183cm	✓	✓	✓	✓	✓	-	✓	✓	✓	✓	✓
170203180A	(GB) Power Cord BSI 3P 2.5A 250V 183cm	✓	✓	✓	✓	✓	-	✓	✓	✓	✓	✓

8.2. Power Supply 110/240VAC, 24V Output, 90W





P/N	Description	DLT-V7310	DLT-V7312/P+	DLT-V8310	DLT-V8312	DLT-V8315 (DC)	DLT-V8315 (AC)	DLT-V7210	DLT-V7212	DLT-V7210 K, KD	DLT-V7212/15 P+	DLT-V6210FL
98R8CHAR000	Power Supply 110/240VAC, 24V Output, 90W	✓	✓	✓	✓	✓	-	✓	✓	✓	✓	✓

Example- Power Supply



Technical data	
Application	External Power supply for DC units
Scope of delivery	1 x Power supply with phoenix 3 pin plug

8.3. Power Cords for External Adapter



P/N	Description	Plug Type	Connector Type	Cable Length
1702002600	(US) Power Cord UL 3P 10A 125V 183cm			183 cm
1700018705	Power Cord ENEC 3P 10A 250V 183cm			183 cm
170203180A	(GB) Power Cord BSI 3P 2.5A 250V 183cm			183 cm

9. AC POWER CABLES


9.1. Availability Matrix

Availability Matrix Power Cables												
P/N	Description	DLT-V7310	DLT-V7312/P+	DLT-V8310	DLT-V8312	DLT-V8315 (DC)	DLT-V8315 (AC)	DLT-V7210	DLT-V7212	DLT-V7210 K, KD	DLT-V7212/15 P+	DLT-V6210FL
1700031645-01	(US) Power Cord UL 3P 10A 125V 300cm	-	-	-	-	-	✓	-	-	-	-	-
96DL-690023	(EU) AC Power cable EU 110/230VAC RA 2.5m ErP	-	-	-	-	-	✓	-	-	-	-	-

9.2. AC Power Cables (for V8315 AC Type)

P/N	Description	Plug Type	Connector Type	Cable Length
1700031645-01	(US) Power Cord UL 3P 10A 125V 3m			300 cm

9.3. AC Power Cables (110/230VAC RA 2.5m ErP)



P/N	Description	Plug Type	Connector Type	Cable Length
96DL-690023	(EU) AC Power cable EU 110/230VAC RA 2.5m ErP			250 cm

10. DC POWER CABLES


10.1. Availability Matrix

Availability Matrix DC Power Cables												
P/N	Description	DLT-V7310	DLT-V7312/P+	DLT-V8310	DLT-V8312	DLT-V8315 (DC)	DLT-V8315 (AC)	DLT-V7210	DLT-V7212	DLT-V7210 K, KD	DLT-V7212/15 P+	DLT-V6210FL
DL-CCAPW51119910	Power Cable VDC 3m	✓	✓	✓	✓	✓	-	✓	✓	✓	✓	✓
1700033361-01	Power Cable with 6pin-F Adapter Forklift 250cm-UL	✓	✓	✓	✓	✓	-	✓	✓	✓	✓	✓
1700033360-01	Power Cable with 6pin-M Adapter DLT 50cm-UL	✓	✓	✓	✓	✓	-	✓	✓	✓	✓	✓
1700034085-01 For USA only	Power Cable with 6pin-M Adapter DLT 250cm + 50cm IGN + DC+ are connected	✓	✓	✓	✓	✓	-	✓	✓	✓	✓	✓

10.2. DC Power Cables


P/N	Description	Plug Type	Connector Type	Cable Length
DL-CCAPW51119910	Power Cable VDC 3m			300 cm



Example- DC Power Cable





Technical data	
Application	Power cable for direct DC input to DLT-V DC Barebone
Scope of delivery	1 x 3m DC Power cable with phoenix 3pin connector

10.3. Quick Connect Cables

<table>
<tr><th>P/N</th><th>Description</th><th>Cable</th><th>Plug Type</th><th>Details</th></tr>
<tr>
<td>1700033360-01</td>
<td>M cable JACK 6P/Plug-in 3P-5.0+G-TEM 50cm</td>
<td>
</td>
<td>
</td>
<td>50cm

Male quick connect adapter with phoenix 3 pin plug</td>
</tr>
<tr>
<td>1700033361-01</td>
<td>F cable JACK 6P 250cm</td>
<td>
</td>
<td>
</td>
<td>250cm

Female quick connect adapter</td>
</tr>
<tr>
<td>1700034085-01
For USA only</td>
<td>A cable PLUG-IN 3P-5.08+G-TEM/Waterproof 6P(M)/W</td>
<td>
</td>
<td>P1 female
<table>
<tr><td>DC+</td><td>1</td><td>red</td></tr>
<tr><td>DC</td><td>3</td><td>black</td></tr>
<tr><td>GND</td><td>5</td><td>Green</td></tr>
<tr><td>Ign</td><td>6</td><td>Y/W</td></tr>
</table>
P1 male
<table>
<tr><td>DC+</td><td>1</td><td>Red</td></tr>
<tr><td>Ign</td><td>6</td><td>white</td></tr>
<tr><td>DC</td><td>3</td><td>black</td></tr>
<tr><td>GND</td><td>5</td><td>Y/W</td></tr>
</table>

</td>
<td>50cm
Male quick connect adapter with phoenix 3 pin plug
250cm
Female quick connect adapter

DC+ & Ignition connected together</td>
</tr>
</table>

11.BATTERY / UPS

11.1. Availability Matrix

Availability Matrix Battery / UPS								
P/N	Description	DLT-V7310 Celeron	DLT-V7312/P+ Celeron	DLT-V7310 i5	DLT-V7312/P+ i5	DLT-V8310/12/15	DLT-V7210/12/10K,KD/ 12P+/15P+	DLT- V6210FL
DL-BTRG79461700	DLT-V72 Battery - extended temperature	✓	✓	-	-	-	✓	-

11.2. DLT-V72 Battery

P/N	Description	DLT-V7310 Celeron	DLT-V7312/P+ Celeron	DLT-V7310 i5	DLT-V7312/P+ i5	DLT-V8310/12/15	DLT-V7210/12/10K,KD/ 12P+/15P+	DLT- V6210FL
DL-BTRG79461700	DLT-V72 Battery - extended temperature	✓	✓	-	-	-	✓	-

Example: UPS Battery



Technical data	
Application	Uniterupped Power Supply Battery Pack
Scope of delivery	1 x DLT-V72 Battery - extended temperature

12. SPARE PARTS


12.1. Availability Matrix

Availability Matrix Spare Parts												
P/N	Description	DLT-V7310	DLT-V7312/P+	DLT-V8310	DLT-V8312	DLT-V8315	DLT-V7210	DLT-V7212	DLT-V7210 K, KD	DLT-V7212 P+	DLT-V7215 P+	DLT-V6210FL
9768ANTN005	Cover cap red low profile antenna	-	-	-	-	-	✓	✓	✓	✓	✓	-
9768CACV000	Cable cover IP65/IP66 DLT-V83	-	-	✓	✓	✓	-	-	-	-	-	-
DL-AGCC000	Cable cover complete DLT-V72	-	-	-	-	-	✓	✓	✓	✓	✓	-

12.2. Antenna Cap

P/N	Description	DLT-V7310	DLT-V7312/P+	DLT-V8310	DLT-V8312	DLT-V8315	DLT-V7210	DLT-V7212	DLT-V7210 K, KD	DLT-V7212 P+	DLT-V7215 P+	DLT-V6210FL
9768ANTN005	Cover cap red low profile antenna	-	-	-	-	-	✓	✓	✓	✓	✓	-

Example: Antenna Cap




Technical data	
Application	Spare Antenna for DLT-V72
Scope of delivery	2x Antenna Cap assembled 2x Screw Cylinder M4x6

12.3. Cable cover

P/N	Description	DLT-V7310	DLT-V7312/P+	DLT-V8310	DLT-V8312	DLT-V8315	DLT-V7210	DLT-V7212	DLT-V7210 K, KD	DLT-V7212 P+	DLT-V7215 P+	DLT-V6210FL
9768CACV000	Cable cover IP65/IP66 DLT-V83	-	-	✓	✓	✓	-	-	-	-	-	-
DL-AGCC000	Cable cover complete DLT-V72	-	-	-	-	-	✓	✓	✓	✓	✓	-

Example: Cable cover V72



Technical data	
Application	Spare Cable cover
Scope of delivery	1x Cable cover 1x gasket cable cover 1x M12x1.5/pressure-comp.elem. 2x Screw M4x12x4 special neck, thread

13. USB RECOVERY STICK

13.1. Availability Matrix

Availability Matrix USB Recovery Stick											
P/N	Description	DLT-V7310	DLT-V7312/P+	DLT-V8310	DLT-V8312	DLT-V8315	DLT-V7210	DLT-V7212	DLT-V7210 K, KD	DLT-V7212/15 P+	DLT-V6210FL
9768STRG003	USB Recovery Stick for DLT-Vxx Legacy	-	-	✓	✓	✓	✓	✓	✓	✓	✓
9768STRG004	USB Recovery Stick for DLT-Vxx UEFI	✓	✓	-	-	-	-	-	-	-	-

13.2. USB Recovery Stick for DLT-Vxx Legacy

P/N	Description	DLT-V7310	DLT-V7312/P+	DLT-V8310	DLT-V8312	DLT-V8315	DLT-V7210	DLT-V7212	DLT-V7210 K, KD	DLT-V7212/15P+	DLT-V6210FL
9768STRG003	USB Recovery Stick for DLT-Vxx Legacy	-	-	✓	✓	✓	✓	✓	✓	✓	✓

Example: USB Recovery Stick



Technical data	
Application	USB recovery stick for ADLOG products
Scope of delivery	1 x Img WinPE Ghost Restore legacy v1.00 1 x Symantec Ghost Solution Suite v3.2 Lizenz 1 x KINGSTON CUSTOM 64GB USB

13.3. USB Recovery Stick for DLT-Vxx UEFI

P/N	Description	DLT-V7310	DLT-V7312/P+	DLT-V8310	DLT-V8312	DLT-V8315	DLT-V7210	DLT-V7212	DLT-V7210 K, KD	DLT-V7212/15P+	DLT-V6210FL
9768STRG004	USB Recovery Stick for DLT-Vxx UEFI	✓	✓	-	-	-	-	-	-	-	-

Example: USB Recovery Stick



Technical data	
Application	USB recovery stick for ADLOG products
Scope of delivery	1 x Img WinPE Ghost Restore UEFI v1.00 DLT-V73 1 x Symantec Ghost Solution Suite v3.2 Lizenz 1 x KINGSTON CUSTOM 64GB USB

14. COPYRIGHT & DISCLAIMER

Accessory Guide completed on 2024-02-05

Accessory Guide version 1.09

This document is copyrighted 2024 by Advantech Co., Ltd. All rights are reserved.

This document is intended for reference purposes only. All product specifications are subject to change without notice. Advantech Co., Ltd. reserves the right to make improvements in this document in the products described in this document at any time without notice. No part of this document may be reproduced in any form or by any means, electronic, photocopying, recording, translating, transmitting or otherwise, without prior written permission of Advantech Co., Ltd. Information provided in this document is intended to be accurate and reliable. However, Advantech Co., Ltd. assumes no responsibility for its use, nor for any infringements of the rights of third parties, which may result from its use.

Advantech Co., Ltd. assumes no liability for technical inaccuracies, typographic errors or faults in this documentation.

Advantech Co., Ltd. also assumes no liability for damages caused directly or indirectly by the delivery, performance or usage of this material.

The software and hardware designations as well as the brand names used in this documentation are in most cases also registered trademarks and are subject to the international law (trademark, brand and patent-protection laws). All product names or trademarks are properties of their respective owners.

RAM® and RAM Mount™ are both trademarks of National Products Inc., 1205 S. Orr Street, Seattle, WA 98108.