



GSM/UMTS ANTENNA

Antenna GSM/UMTS Magnetic 90, 9dBi, FME(f), RG58, 3.5m

AO-AGSM-MG9F

SECTRON company offers wide portfolio GSM/UMTS antennas with various versions differing in shape, level of gain or attachment manner. SECTRON guarantees compatible connection between antenna and all antenna adaptors produced by SECTRON.




BENEFITS

- Low VSWR
- High Gain
- Easy installation

Technology	GSM/UMTS
Frequency bands	900/1800/2100 MHz
Bandwidth	-
Gain	9 dBi
VSWR	<1.8: 1
Impedance	50 ohm
Directivity	Omnidirectional
Beam angle	H 360° V 30°
Polarization	Vertical
Maximum input power	10 W
Power voltage	-
Dimensions	68 x 448 mm
Weight	301.53 g
Operating temperature	-30 to +90 ° C
Execution	External
Method of attachment	Magnetic
Cable type	RG58
The cable length	3.5 m
Connector type	FME(f)

DRAWING



Units: mm

VARIANT	PART NUMBER
Antenna GSM/UMTS Magnetic 90, Quad-band, 9 dBi, SMA(m), RG58/3.5m	AO-AGSM-MG9S

CONTACTS

SECTRON s.r.o. Josefa Šavla 1271/12
709 00 Ostrava 9, Czech Republic

WWW.SECTRON.CZ
Tel.: +420 556 621 021