


# VEGA-3300

## 4Kp60 HEVC Broadcast Video Encoder Card

NEW



### Features

- 1-ch 4K (2160p) or 4-ch FHD (1080p) @ 60 fps real-time encoding in Main 8, Main 10 or Main 10 4:2:2 modes
- Less than 15W power consumption
- Simple-to-use API and example code for FFmpeg and GStreamer multimedia frameworks

### Introduction

VEGA-3300 enables real-time 4K UltraHD (2160p60) HEVC encoding at up to 20x less power consumption than a software-only solution. The HEVC/H.265 codec is gaining momentum because it reduces bit rates by approximately 50% when compared to an equivalent quality video stream encoded using H.264, enabling more channels or higher resolution video delivery over the same infrastructure. It is particularly relevant for 4K UltraHD transmission which requires a much higher stream capacity. These improvements are achieved at the penalty of much higher computation complexity, with up to four general purpose server class processors required to perform a 4K 60fps software-based broadcast quality HEVC encoding in real time.

VEGA-3300 is tailored for professional media processing and are capable of performing professional grade 4Kp60 Main10 profile HEVC encoding at less than 15W power consumption. The VEGA-3300 targets file or stream-based encoding workflows in a low profile PCIe adapter format to facilitate the integration of multiple accelerators in a range of servers and appliances. This card feature a simple-to-use API and example code for FFmpeg and GStreamer multimedia frameworks to streamline product development and their integration into existing applications.

### Specification

Video Input	Channels	1 (up to 4Kp60, 8bit/10bit, YUV) / 4 (up to 1080p60, 8bit/10bit, YUV)	
	Video Formats	4K, HD, SD	
	Frame Rate /s	PCI Express Interface	4K / 4096x2160: 60p / 59.94p / 50p / 30p / 29.97p / 25p / 24p
		4K / 3840x2160: 60p / 59.94p / 50p / 30p / 29.97p / 25p / 24p	
		1920x1080: 60p / 59.94p / 50p / 30p / 29.97p / 25p / 24p	
1280x720: 60p / 59.94p / 50p / 30p / 29.97p / 25p / 24p			
720x480: 60p / 59.94p			
Chroma Sampling Format	4:2:2 / 4:2:0		
Interfaces	PCI express Gen2 x4		
Video Compression	Compression	H.265	
	HEVC Profile	Main / Main 10	
	HEVC Tier	Main / High	
	HEVC Level	1.0 / 2.0 / 2.1 / 3.0 / 3.1 / 4.0 / 4.1 / 5.0 / 5.1	
	Bit Depth	8 / 10	
	Bitrate 4K format	3 Mbps ~ 300 Mbps	
	Bit Rate Control	CBR / VBR	
	Elementary Stream	Yes	
Feature	Frame rate and resolution control	Yes	
	Encoding control and manipulation	Yes	
	Full-feature API available	Yes	
	Dual encoding (4 file from a unique video source)	Yes	
	GOP definition	I, IP, IPB, IBBB	
	Operating System	Windows 8 & 8.1(64-bit)	
		Windows 7(64-bit)	
Windows Server 2012 & 2012 R2 (64-bit)			
Windows Server 2008 R2 (64-bit)			
Linux Kernel 3.13.0 (64-bit)			
Development Kits	FFmpeg Microsoft DirectShow		
Physical Characteristic	Power Consumption	< 15W	
	Dimensions	PCI Express Half Length Half Height 167.65 x 56 mm	

### Ordering Information

Part number	Description
VEGA-3300-A0E0	4Kp60 HEVC Broadcast Video Encoder Card (M31)

ADVANTECH

Video Processing & IP Media Platforms

All product specifications are subject to change without notice.

Last updated: 15-Jan-2019